

Rim Cylinders

Part numbers: CL-R1-XXX

Where XXX is the scalp finish. See below.



The CyberLock rim cylinder is an electronic version of a standard Schlage mechanical rim cylinder.

Each CyberLock rim cylinder ships with an inner steel CyberLock core, the outer brass shell, inside rim mounting bracket, tailpiece and breakaway screws. The CyberLock cylinder driver and tailpiece are Schlage compatible.

CyberLock cylinders have several advantages over traditional cylinders:

- Keys cannot be duplicated.
- The lock has no keyway to pick.
- Various entry times and restrictions can be set.
- Both the locks and keys track all actions.

Videx offers several pressed-on scalps in different finishes. When ordering, please select from the list below to determine the last three digits of the part number.


Finish name	Industry designation	Videx number
Bright Chrome	625	368
Brushed Chrome	626	369
Bright Brass	605	370
Dark Bronze	613	371

Rim Cylinders


Part numbers: CL-R1-XXX

Where XXX is the scalp finish. See other side.

#2-56 SET SCREW





#12-24 THREADED HOLE



Notes:

Dimensions in mm (inches)

Drawing not to scale



34,54 [1.360]

Specifications

Finish	<ul style="list-style-type: none"> • Brass with a choice of scalp finish
Operating Temperature	<ul style="list-style-type: none"> • -40° to 160° F; -40° to 70° C, non-condensing
Power Requirements	<ul style="list-style-type: none"> • None; power is supplied by the key's battery.
Hardware Security Features	<ul style="list-style-type: none"> • No keyway to pick. • If torque is applied to the front of the cylinder, it separates from the back half leaving the cylinder in the locked position. • Resists electric charge applied to the face of the lock.
Hardware Options	<ul style="list-style-type: none"> • Tamper pin which blocks the locking pin automatically when impact force is applied to the front of the lock. • Hardened metal. • Drill-resistant pins.
Number of Keys per Lock	<ul style="list-style-type: none"> • No limit to the number of keys that the lock can support.
Number of Locks per Key	<ul style="list-style-type: none"> • Up to 3300 locks can be accessed with a standard user key. • A Master key has no limit to the number of locks it can access. • A database has no limit to the number of locks or keys it can manage.
Lost Keys	<ul style="list-style-type: none"> • The system can designate and disable lost keys.
Access Schedules	<ul style="list-style-type: none"> • Schedules programmed into the CyberKey provide complete control over specific days and times that a key will operate. A key can use up to 49 different schedules to access locks. • A database has no limit to the number of schedules it can manage. • Holidays may be set as exceptions to the schedules.
Audit Capacities	<ul style="list-style-type: none"> • The lock remembers the last 1100 events with date and time. • A key remembers up to 3900 events with date and time. It can be set to keep only the most recent set of events or to stop operating when its audit trail is full.
Electronic Security Features	<ul style="list-style-type: none"> • Key Expiration – a begin/end date range can be set during which the key will work. • Delayed entry – a lock can be set to delay entry for up to 20 minutes. • Multiple key custody – a lock may be set to require more than 1 key (up to 4) before opening.
Electronic Rekeying	<ul style="list-style-type: none"> • Rekeying a system is done via the software; no need to install new locks and issue new keys.